

Bir **bemis grup** markasıdır.



2026-2027

INTERNATIONAL EDITION



About Us

With 32 years of experience, the byes brand, which is under the roof of the Bemis group, aims to bring a breath of fresh air to the sector with its creative, dynamic and visionary perspective, following world trends and needs, and offering products and services that will benefit its stakeholders.

Our company, which has adopted the mission of export-oriented growth with its existing foreign connections and international market experience, provides services to the whole of Europe with its Polish branch. Our company, which also specializes in e-commerce sales, exhibits its products in many marketplaces in Europe.

Our Vision

Our mission is to create brand loyalty and become a recognized brand in the global market by offering innovative products and services at universal quality standards by using modern technologies to meet the current and potential needs of our business partners.

Our Mission

To offer our customers in the electricity and lighting energy sector a wide range of products where aesthetics and robustness meet in the quality denominator and at prices that respond to market conditions.

EXPORT DEPARTMENT

Byes, which is taking firm steps towards becoming a brand in the world market, has targeted its exports to 35 countries as exports to 40 countries by 2026.

Byes products meet its users in the global market through distributors, agents and Byes showrooms.

With the international fairs and promotional activities it participates in, Byes continues its efforts to increase brand awareness in the world.



+90 542 773 72 94

+90 224 363 30 65

info@byes.com.tr

export@byes.com.tr

www.byes.com.tr



Discover your energy

32 years of experience in our modern production facilities, **3000 quality products** that we produce by more than **100** experienced employees, We export more than **35 countries**.

Cee Norm



Monophase & Treephase



Overload Protection & Group Socket



Cable Reel



Combination Boxes



Thermoplastic Junction Boxes



PVC Cable Trays



Cable Lugs & Terminal Blocks



Fuse Boxes





hyses



**NEXT-GENERATION DESIGN
MONOPHASE RUBBER
GROUP SOCKET**

- ▶ IP54 Protection Class
- ▶ High Impact Resistance
- Thermo Rubber Body

Rubber Monophase

1x16A. (2P+E) 200/250V.



Product Code: BY10-100

IP44 1/16A. 220V.
Rubber Straight Plug



Box
40 Pcs



Pack
400 Pcs



Product Code: BY10-102

IP44 1/16A. 220V.
Rubber Connector Socket



Box
25 Pcs



Pack
200 Pcs



Product Code: BY10-103

IP44 1/16A. 220V.
Rubber Surface Mounted Socket



Box
15 Pcs



Pack
180 Pcs



Product Code: BY10-104

IP44 1/16A. 220V.
Rubber 2 Way Socket



Box
30 Pcs



Product Code: BY10-105

IP44 1/16A. 220V.
Rubber 3 Way Socket



Box
20 Pcs



Product Code: BY10-106

IP44 1/16A. 220V.
Rubber 4 Way Socket



Box
18 Pcs

3x25A. (3P+E) 380V.

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-300	3x25A. Straight Plug	BK1-2504-4011	IP44	20	160
BY10-301	3x25A. Connector Socket	BK1-2504-4314	IP55	15	120
BY10-304	3x25A. Angled Plug	BK1-2504-4023	IP44	16	128
BY10-305	3x25A. Surface Mounted Socket	BK6-2504-4511	IP55	14	112
BY10-306	3x25A. 2way Socket	BK6-2504-4612	IP55	5	60
BY10-307	3x25A. 2way Socket (1 tri + 1 mono)	BK6-2504-4611	IP55	5	60
BY10-308	3x25A. 3way Socket	BK6-2504-4615	IP55	6	48
BY10-309	3x25A. 3way Socket (2 tri + 1 mono)	BK6-2504-4614	IP55	6	48
BY10-310	3x25A. 3way Socket (1 tri + 2 mono)	BK6-2504-4613	IP55	6	48
BY10-311	3x25A. 4way Socket	BK6-2504-4618	IP55	8	40
BY10-312	3x25A. 4way Socket (2 tri + 2 mono)	BK6-2504-4616	IP55	8	40
BY10-313	3x25A. 4way Socket (3 tri + 1 mono)	BK6-2504-4617	IP55	8	40
BY10-314	3x25A. Panel Mounted Socket (Plastic)	BP2-2504-4415	IP44	18	144
BY10-315	3x25A. Screwless Connection Socket (Plastic)	BP2-2504-4440	IP44	18	144
BY10-316	3x25A. Rail Socket (Plastic)	BR1-2504-2711	IP20	8	64
BY10-317	3x25A. Surface Mounted Socket (Plastic)	BP2-2504-4516	IP44	6	72



FLAT PLASTIC THREEPHASE SERIES (3P+E) 380V.

Product Code	Description	Bemis Code	IP	Box	Pack
BY10-218	16/25A. Flat Straight Plug	BY1-1504-2011	IP44	15	180
BY10-219	16/25A. Flat Connector Socket	BY1-1504-2311	IP44	15	120
BY10-220	16/25A. Flat Surface Mounted Socket	BY1-1504-2511	IP44	12	96



Product Code	Description	Bemis Code	IP	Box	Pack
BY10-221	25/40A. Flat Straight Plug	BY1-2504-2011	IP44	12	96
BY10-222	25/40A. Flat Connector Socket	BY1-2504-2311	IP44	8	64
BY10-223	25/40A. Flat Surface Mounted Socket	BY1-2504-2511	IP44	7	56



Product Code	Description	Bemis Code	IP	Box	Pack
BY10-224	40/63A. Flat Straight Plug	BY1-4504-2011	IP44	8	64
BY10-225	40/63A. Flat Surface Mounted Socket	BY1-4504-2511	IP44	4	32





SURGE AND OVERLOAD PROTECTION PLUG



Surge Protection

- ▶ Connected devices can be disconnected from the mains protects against high voltage impulses.
- ▶ 720Joule protection capacity.



Overload Protection

- ▶ Safe when overcurrent is drawn from connected devices disconnects the circuit for use.
- ▶ Can be reset with a push-button reset button and can be used safely over and over again.



Product Code	Description	Pack
BY80-100	Surge and Overload Protection Plug (720J), Child Protection	35

Group Sockets

Product Code	Description	Pack
BY80-116	Plug-in 3 way Group Grounded Socket, Terminal Block, Child Protection - White	30
BY80-117	Plug-in 3 way Group Grounded Socket, Terminal Block, Child Protection - Black	30



BY80-116



BY80-117

USB Charging Group Sockets



- Fast USB Charging 20W
- USB-C and USB-A ports
- Supports PD 3.0 (USB-C) and QC 3.0 (USB-A) fast charging protocols
- Overvoltage and overload protection for USB output
- Complies with international standards for USB charging
- Quality certified by TUV Rheinland
- Child protection for added safety

Product Code	Description	Cable	Pack
BY80-140	3 way grounded group socket with USB Fast Charging (20W) Switched	2 Meter	10
BY80-141	6 way grounded group socket with USB Fast Charging (20W) Switched	2 Meter	10





Smart RGB Bulb

The Wi-Fi Supported 9W Smart Bulb, with a brightness of 806 lumens and a long lifespan of 20,000 hours, can be safely used in every corner of your home. This bulb, which can be controlled remotely via an app, offers the ability to customize color, color temperature, and lighting intensity. With multiple scene options, it allows you to create the perfect atmosphere in any setting. Combining energy efficiency and durability, this smart bulb meets the lighting needs of modern living at the highest level. It is an ideal solution for changing the atmosphere of your home and enhancing your comfort.



Product Code: BY71-101
Socket Type: E27
Watt: 9W
Lumen: 810Lm
Color: RGB
Lifespan: 15.000 Saat
Energy Saving: %85
Lighting Angle: 180 Degree



Smart Tag

The Smart Tracking Tag is a high-tech, Apple-licensed product that helps you quickly find lost items. Compatible with the Apple Find My network, this device allows you to securely track everything from your keys to valuable belongings and even your furry friends. Measuring 37mm x 37mm x 8.5mm and weighing just 9 grams, the Smart Tag offers durable and long-lasting use with its waterproof IPX7 rating and a battery life of 1 year. Notable for its 90dB audio alert level, this device provides a reliable solution that you can use safely at any time, thanks to its CR2032 replaceable battery.



Product Code: BY71-105
Audio Alert: 90dB
Battery Replacement: Yes
Weight: 9,1 gr
Battery Life: 1 Year
Size: 37mm x 37mm x 8,5mm



Smart Camera

The Smart Camera enhances your home and workplace security with high-resolution images and advanced features. It delivers crystal-clear 1080P video and covers wide areas with its broad field of view. Night vision ensures clear images even in the dark. With smart tracking and motion detection capabilities, it instantly identifies movement in critical areas. Two-way audio communication and remote access allow you to connect anytime and from anywhere. Its flexible movement capability provides the option to monitor large areas, and data storage options securely save important moments.



Product Code: BY71-100
Resolution: 1080p - 25fps
Max. Card Support: 128GB SD
Wi-Fi Connection: 802.11b/g/n 2.4GHz
Usage Area: Indoor Spaces
Adapter: DC 5V/1.5A
Net Weight: 250 gr.
Power Consumption: 2-4W

byes

Smart Tag

HIGH PERFORMANCE CHIP

Powerful, High-Precision
Location Information

HIGH-QUALITY MATERIAL

Impact Resistance, Lightweight,
Resilience

LONG LASTING

Long-Lasting Battery,
High Stability



Finding
Location



Replaceable
Battery



Control from
Anywhere



Bluetooth

Smart Camera



Full HD



Automatic Tracking



Night Vision



Two-Way Audio



Mobile App



2.4GHz




Wi-Fi



SD Card



byes



CEE Norm Plug & Socket Series

16A. / 32A. / 63A. / 125A. - IP44 / IP67



Product Code	Description	IP	Box	Pack
BY50-100	3/16A. Straight Plug	IP44	10	80
BY50-121	3/16A. Connector Socket	IP44	10	80
BY50-163	3/16A. Panel Mounted Socket	IP44	10	80
BY50-142	3/16A. 90° Angled Surface Socket	IP44	10	40



Product Code	Description	IP	Box	Pack
BY50-106	3/16A. Straight Plug	IP67	10	60
BY50-127	3/16A. Connector Socket	IP67	10	80
BY50-169	3/16A. Panel Mounted Socket	IP67	10	80
BY50-148	3/16A. 90° Angled Surface Socket	IP67	10	40



Product Code	Description	IP	Box	Pack
BY50-103	3/32A. Straight Plug	IP44	10	60
BY50-124	3/32A. Connector Socket	IP44	10	60
BY50-166	3/32A. Panel Mounted Socket	IP44	10	60
BY50-145	3/32A. 90° Angled Surface Socket	IP44	5	20



Product Code	Description	IP	Box	Pack
BY50-109	3/32A. Straight Plug	IP67	10	60
BY50-130	3/32A. Connector Socket	IP67	10	60
BY50-172	3/32A. Panel Mounted Socket	IP67	10	60
BY50-151	3/32A. 90° Angled Surface Socket	IP67	5	20



Product Code	Description	IP	Box	Pack
BY50-101	4/16A. Straight Plug	IP44	10	80
BY50-122	4/16A. Connector Socket	IP44	10	80
BY50-164	4/16A. Panel Mounted Socket	IP44	15	60
BY50-143	4/16A. 90° Angled Surface Socket	IP44	10	40



Product Code	Description	IP	Box	Pack
BY50-107	4/16A. Straight Plug	IP67	10	80
BY50-128	4/16A. Connector Socket	IP67	10	60
BY50-170	4/16A. Panel Mounted Socket	IP67	10	80
BY50-149	4/16A. 90° Angled Surface Socket	IP67	10	40



Product Code	Description	IP	Box	Pack
BY50-104	4/32A. Straight Plug	IP44	10	60
BY50-125	4/32A. Connector Socket	IP44	10	60
BY50-167	4/32A. Panel Mounted Socket	IP44	10	60
BY50-146	4/32A. 90° Angled Surface Socket	IP44	5	20



Product Code	Description	IP	Box	Pack
BY50-110	4/32A. Straight Plug	IP67	10	60
BY50-131	4/32A. Connector Socket	IP67	10	60
BY50-173	4/32A. Panel Mounted Socket	IP67	10	60
BY50-152	4/32A. 90° Angled Surface Socket	IP67	5	20




Product Code	Description	IP	Box	Pack
BY50-102	5/16A. Straight Plug	IP44	10	80
BY50-123	5/16A. Connector Socket	IP44	10	60
BY50-165	5/16A. Panel Mounted Socket	IP44	10	60
BY50-144	5/16A. 90° Angled Surface Socket	IP44	10	40




Product Code	Description	IP	Box	Pack
BY50-108	5/16A. Straight Plug	IP67	10	60
BY50-129	5/16A. Connector Socket	IP67	10	60
BY50-171	5/16A. Panel Mounted Socket	IP67	10	60
BY50-150	5/16A. 90° Angled Surface Socket	IP67	10	40



Product Code	Description	IP	Box	Pack
BY50-105	5/32A. Straight Plug	IP44	10	60
BY50-126	5/32A. Connector Socket	IP44	10	60
BY50-168	5/32A. Panel Mounted Socket	IP44	10	60
BY50-147	5/32A. 90° Angled Surface Socket	IP44	5	20





Product Code	Description	IP	Box	Pack
BY50-111	5/32A. Straight Plug	IP67	10	60
BY50-132	5/32A. Connector Socket	IP67	10	60
BY50-174	5/32A. Panel Mounted Socket	IP67	10	60
BY50-153	5/32A. 90° Angled Surface Socket	IP67	5	20



Product Code	Description	IP	Box	Pack
BY50-113	4/63A. Straight Plug	IP44	1	12
BY50-134	4/63A. Connector Socket	IP44	1	12
BY50-176	4/63A. Panel Mounted Socket	IP44	1	30
BY50-155	4/63A. 90° Angled Surface Socket	IP44	1	12





Product Code	Description	IP	Box	Pack
BY50-116	4/63A. Straight Plug	IP67	1	12
BY50-137	4/63A. Connector Socket	IP67	1	12
BY50-179	4/63A. Panel Mounted Socket	IP67	1	30
BY50-158	4/63A. 90° Angled Surface Socket	IP67	1	12



Product Code	Description	IP	Box	Pack
BY50-114	5/63A. Straight Plug	IP44	1	12
BY50-135	5/63A. Connector Socket	IP44	1	12
BY50-177	5/63A. Panel Mounted Socket	IP44	1	30
BY50-156	5/63A. 90° Angled Surface Socket	IP44	1	12



Product Code	Description	IP	Box	Pack
BY50-117	5/63A. Straight Plug	IP67	1	12
BY50-138	5/63A. Connector Socket	IP67	1	12
BY50-180	5/63A. Panel Mounted Socket	IP67	1	30
BY50-159	5/63A. 90° Angled Surface Socket	IP67	1	12



Product Code	Description	IP	Box	Pack
BY50-120	5/125A. Straight Plug	IP67	1	8
BY50-141	5/125A. Connector Socket	IP67	1	8
BY50-183	5/125A. Panel Mounted Socket	IP67	1	18
BY50-162	5/125A. 90° Angled Surface Socket	IP67	1	6






byes

Cee Norm 63A. - 125A.

**Strong Connection to
Difficult Conditions!**



- ▶ High-quality PVC (Polyvinyl Chloride) with flame-retardant properties.
- ▶ Options available in adhesive, non-adhesive, and fishbone designs.
- ▶ Various width and height options.
- ▶ Impact and UV-resistant structure.
- ▶ Easy-to-install design with strong adhesion in adhesive models.
- ▶ Suitable for operating temperatures between -20°C and +60°C.
- ▶ Safe to use with strong electrical insulation properties.
- ▶ Flexible structure for easy cable placement.
- ▶ Made from recyclable materials.
- ▶ Standards: CE and RoHS compliant.
- ▶ Application Areas: Indoor electrical installations, data communication systems, security systems, etc.



PVC Cable Trunking

Product Code	Description	Dim.	Length	Pack
BY43-100	Adhesive Cable Trunking	12x12	2m	270m
BY43-101	Adhesive Cable Trunking	15x10	2m	280m
BY43-102	Adhesive Cable Trunking	16x16	2m	270m
BY43-103	Adhesive Cable Trunking	20x10	2m	200m
BY43-104	Adhesive Cable Trunking	25x16	2m	170m
BY43-105	Adhesive Cable Trunking	25x25	2m	110m
BY43-106	Adhesive Cable Trunking	40x25	2m	80m
BY43-107	Adhesive Cable Trunking	40x40	2m	60m
BY43-108	Adhesive Cable Trunking	60x40	2m	42m
BY43-109	Adhesive Cable Trunking	60x60	2m	28m

Cable Trunking



Product Code	Description	Dim.	Length	Pack
BY43-120	Non-Adhesive Cable Trunking	12x12	2m	270m
BY43-121	Non-Adhesive Cable Trunking	15x10	2m	280m
BY43-122	Non-Adhesive Cable Trunking	16x16	2m	270m
BY43-123	Non-Adhesive Cable Trunking	20x10	2m	200m
BY43-124	Non-Adhesive Cable Trunking	25x16	2m	170m
BY43-125	Non-Adhesive Cable Trunking	25x25	2m	110m
BY43-126	Non-Adhesive Cable Trunking	40x25	2m	80m
BY43-127	Non-Adhesive Cable Trunking	40x40	2m	60m
BY43-128	Non-Adhesive Cable Trunking	60x40	2m	42m
BY43-129	Non-Adhesive Cable Trunking	60x60	2m	28m

Herringbone Cable Trunking

Product Code	Description	Dim.	Length	Pack
BY43-140	Herringbone Cable Trunking (Non-adhesive)	50x12	2m	84m
BY43-141	Herringbone Cable Trunking (Non-adhesive)	70x20	2m	60m
BY43-142	Herringbone Cable Trunking (Non-adhesive)	50x12	2m	84m
BY43-143	Herringbone Cable Trunking (Non-adhesive)	70x20	2m	60m

100x50 Wide Cable Trunking

Product Code	Description	Dim.	Length	Pack
BY43-150	Wide Cable Trunking	100x50	2m	16m

Modular Parts

Product Code	Description
BY43-160	Outside Corner
BY43-161	Inside Corner
BY43-162	T Junction
BY43-163	L Junction
BY43-164	Consolidation
BY43-165	Termination
BY43-166	Divider
BY43-167	Single Socket Frame
BY43-168	Double Socket Frame
BY43-169	Triple Socket Frame
BY43-170	Quadruple Socket Frame
BY43-171	45x45 Grounded Socket
BY43-172	45x45 UPS Grounded Socket
BY43-173	45x45 Data Socket Cover
BY43-174	Data Kon. Cat6E
BY43-175	Data Kon. Cat5E

ABS COMBINATION BOXES

Combination boxes are used in all electrical installation areas that need socket combination boxes and fuse boxes such as factories, workshops and industrial areas, construction sites, business centers and offices, warehouses, parking lots, common technical areas.



ABS Combination Boxes



5 FUSE
CAPACITY

Product Code	Description	Dimensions	IP	Box	Pack
BY20-100	Empty Combination Box (ABS)	214x128x170	IP44	1	12
BY20-101	3x25A 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-102	5x16A 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-103	3x25A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-104	3/16A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-105	3/32A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-106	5x16A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-107	5/32A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12
BY20-108	4/32A 380V 1 pcs. Front + 1x16A 2 pcs. Side	214x128x170	IP44	1	12



10 FUSE
CAPACITY

Product Code	Description	Dimensions	IP	Box	Pack
BY22-100	Empty Combination Box (ABS)	288x218x124	IP44	1	6
BY22-101	Front 2 pcs Side 2 pcs Hole Empty Combination	288x218x124	IP44	1	6
BY22-102	Front 2 pcs Perforated 1/16A 2 pcs Side	288x218x124	IP44	1	6
BY22-103	3x25A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-104	3/16A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-105	3/32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-106	5x16A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-107	5x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6
BY22-108	4x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	288x218x124	IP44	1	6



13 FUSE
CAPACITY

Product Code	Description	Dimensions	IP	Box	Pack
BY23-100	Empty Combination Box (ABS)	380x280x130	IP44	1	6
BY23-101	Front 2 pcs Side 2 pcs Hole Empty Combination	380x280x130	IP44	1	6
BY23-102	Front 2 pcs. Hole 1/16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-103	3x25A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-106	5x16A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-107	5x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-108	4x32A 380V 2 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-109	5x32A 380V 1 pcs. 5x16A 380v Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-110	Front 4 pcs. Side 2 pcs. Hole Empty Combination	380x280x130	IP44	1	6
BY23-112	5x32A 380V 4 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6
BY23-113	5x16A 380V 4 pcs. Front + 1x16A 2 pcs. Side	380x280x130	IP44	1	6



byes

Flush and Surface Mounted FUSE BOXES

We produce aesthetic solutions for your walls!

Fuse Boxes Series are available in two types, flush and surface mounted, and with opaque cover options. waiting to take a stylish place in your spaces.



Surface Mounted Distribution Boards

Product Code	Description	IP	Box	Pack
BY30-102	6 Module Surface Mounted Distribution Boards	IP44	1	20
BY30-103	9 Module Surface Mounted Distribution Boards	IP44	1	16
BY30-104	12 Module Surface Mounted Distribution Boards	IP44	1	16
BY30-105	18 Module Surface Mounted Distribution Boards	IP44	1	10
BY30-106	24 Module Surface Mounted Distribution Boards	IP44	1	8
BY30-107	36 Module Surface Mounted Distribution Boards	IP44	1	5



BY30-102



BY30-103



BY30-104



BY30-105



BY30-106



BY30-107

Flush Mounted Distribution Boards

Product Code	Description	IP	Box	Pack
BY30-112	6 Module Flush Mounted Distribution Boards	IP44	1	20
BY30-113	9 Module Flush Mounted Distribution Boards	IP44	1	16
BY30-114	12 Module Flush Mounted Distribution Boards	IP44	1	16
BY30-115	18 Module Flush Mounted Distribution Boards	IP44	1	10
BY30-116	24 Module Flush Mounted Distribution Boards	IP44	1	8
BY30-117	36 Module Flush Mounted Distribution Boards	IP44	1	5



BY30-112



BY30-113



BY30-114



BY30-115



BY30-116



BY30-117

Surface Mounted ABS W Automat Boxes with Terminals Blocks

Product Code	Description	Dimensions	Pack
BY25-147	Junction Cover	Ø88mm	100
BY30-120	1-2 Surface Mounted W. Automat Box	139x65x54	30
BY30-122	2 Surface Mounted W. Automat Box	140x98x143	60
BY30-123	4 Surface Mounted W. Automat Box	140x97,5x150	45
BY30-124	6 Surface Mounted W. Automat Box	184x99,5x140	30
BY30-125	8 Surface Mounted W. Automat Box	231x100x176	20
BY30-126	12 Surface Mounted W. Automat Box	295x100x221	20
BY30-127	18 Surface Mounted W. Automat Box	390x103x220	10
BY30-128	24 Surface Mounted W. Automat Box	295x100x337	10
BY30-129	36 Surface Mounted W. Automat Box	295x100x453	10



Flush Mounted ABS W Automat Boxes with Terminals

Product Code	Description	Dimensions	Pack
BY30-132	2 Flush Mounted W. Automat Box	100x98x142	60
BY30-133	4 Flush Mounted W. Automat Box	140x98x150	45
BY30-134	6 Flush Mounted W. Automat Box	176x100x135	30
BY30-135	8 Flush Mounted W. Automat Box	220x100x169	20
BY30-136	12 Flush Mounted W. Automat Box	284x100x215	20
BY30-137	18 Flush Mounted W. Automat Box	365x103x212	10
BY30-138	24 Flush Mounted W. Automat Box	284x100x330	10
BY30-139	36 Flush Mounted W. Automat Box	284x100x446	10



Thermoplastic Junction Boxes Opaque Cover



Product Code	Description	Dimensions	IP	Box	Pack
BY25-146	Minibox Lighting Junction Box	80x40x35	IP65	30	360
BY25-120	Square Antigron Junction Box	85x85x40	IP65	20	240
BY25-121	Opaque Cover Thermoplastic Junction Box (Straight)	85x85x50	IP65	1	140
BY25-122	Opaque Cover Thermoplastic Junction Box (Screwed)	85x85x50	IP65	1	140
BY25-123	Opaque Cover Thermoplastic Junction Box	80x120x55	IP65	1	78
BY25-124	Opaque Cover Thermoplastic Junction Box	100x100x50	IP65	1	112
BY25-125	Opaque Cover Thermoplastic Junction Box	110x110x74	IP65	1	130
BY25-126	Opaque Cover Thermoplastic Junction Box	120x150x80	IP65	1	30
BY25-127	Opaque Cover Thermoplastic Junction Box	150x150x80	IP65	1	30
BY25-128	Opaque Cover Thermoplastic Junction Box	190x150x80	IP65	1	30
BY25-129	Opaque Cover Thermoplastic Junction Box	210x120x74	IP65	1	48
BY25-130	Opaque Cover Thermoplastic Junction Box	200x200x80	IP65	1	24
BY25-131	Opaque Cover Thermoplastic Junction Box	260x150x80	IP65	1	40
BY25-132	Opaque Cover Thermoplastic Junction Box	280x210x74	IP65	1	24
BY25-133	Opaque Cover Thermoplastic Junction Box	380x280x90	IP65	1	14





Plastic Cable Reel (280mm Diameter)

Product Code	Description	Cable	IP	Box
BY15-100	Empty Reel 4way Socket - 50m Capacity	Empty Reel	IP20	1
BY15K1001	4way Socket	20M 3*1,5	IP20	1
BY15K1002	4way Socket	30M 3*1,5	IP20	1
BY15K1003	4way Socket	40M 3*1,5	IP20	1



Plastic Cable Reel (5 Meter Cable - Thermal Fuse)

Product Code	Description	Cable	IP	Box
BY15-100-T	1/16A. 4way Socket - Thermal Fuse	5M 3*1	IP20	1



Plastic Cable Reels

Designed for Tough Industrial Environments

This reel is designed for challenging working conditions such as industrial facilities, construction sites, oil platforms, and the mining sector.

Technical Specifications:

Operating Voltage: 250V, 16A

Durable Structure: Made from high-impact resistant plastic.

Multiple Socket Option: 4-outlet standard safety socket system.


Power Indicator Light: Warning light indicating the status of the electrical connection.

Thermal Protection: Thermal fuse providing protection against overheating.

Plug Type: UPS-supported French type molded plug.

Protection Class: IP44, ensuring safe outdoor use.





Dimensions (mm)

Product Code	Cable Cross Section	Bolt	D	D1	D2	L1	A	B	C1	C2	Piece
BY90-100	16 mm ²	M6	6,5	5,5	7,0	24,0	12,5	10,5	7,5	7,5	500
BY90-101	25 mm ²	M8	8,5	7,0	9,0	30,5	17,5	13,0	8,5	8,5	350
BY90-102	35 mm ²	M8	8,5	8,5	10,5	34,0	18,5	15,5	9,5	9,5	250
BY90-103	50 mm ²	M10	10,5	10,0	12,0	39,5	20,0	18,0	11,0	11,0	150
BY90-104	70 mm ²	M10	10,5	11,5	14,0	42,0	22,0	20,5	11,0	11,0	100
BY90-105	95 mm ²	M12	13,0	13,5	16,0	48,0	25,0	23,5	12,0	12,0	80
BY90-106	120 mm ²	M12	13,0	15,5	18,0	52,0	27,0	27,0	14,0	14,0	50
BY90-107	150 mm ²	M12	13,0	16,5	20,0	54,5	29,0	29,0	14,0	14,0	50
BY90-108	185 mm ²	M16	17,0	18,5	22,0	61,5	32,0	32,0	14,5	14,5	40
BY90-109	240 mm ²	M16	17,0	21,5	25,5	69,0	36,5	37,5	16,0	16,0	25

* Our products are made of electrolytic copper (E-Cu), fully annealed, countersunk and coated with minimum 3 micron tin.

**Strong Connections,
Uninterrupted Energy!**



Push-in Type Wire Connectors



Features

Current: 24A

Voltage: 450V

Conductor Type: Single Core Rigid

Conductor Cross Section: 1.0 - 2.5 mm²

Min. Operating Temperature: -30°C

Max. Operating Temperature: +110°C

Body: (PC) Halogen Free



Product Code	Color	Cable Entry	Cable Cross Section	Dim.	Box	Pack
BY90-140	Red	2	1,0 - 2,5	10,5x19,5	200	10.000
BY90-141	Orange	3	1,0 - 2,5	13,5x19,7	200	10.000
BY90-142	Yellow	4	1,0 - 2,5	17,2x19,7	100	5.000
BY90-143	Gray	5	1,0 - 2,5	21,1x19,7	100	5.000
BY90-144	White	6	1,0 - 2,5	13,8x16,4	100	5.000
BY90-145	Black	8	1,0 - 2,5	17,5x19,0	100	5.000

Multi-Purpose Claw Junction Terminal

Features

Current : 32A

Voltage : 450V

Conductor Type : Single Core Rigid

Conductor Section : 0.4 - 4.0 mm²

Min. Operating Temperature : -30°C

Max. Operating Temperature : +110°C

Body : (PC)(PA) Halogen Free & Flame Retardant




Product Code	Color	Cable Entry	Cable Cross Section	Dim.	Box	Pack
BY90-150	Orange	2	0,5-4	18,2x13x9,8 mm	200	10.000
BY90-151	Orange	3	0,5-4	18,2x18,6x9,8 mm	200	10.000
BY90-152	Orange	4	0,5-4	18,2x24,2x9,8 mm	100	5.000
BY90-153	Orange	5	0,5-4	18,2x29,9x9,8 mm	100	5.000

Application Areas:

Switch boxes, distribution boxes, electrical panels, lighting fixtures, security/alarm systems, prefabricated wiring systems.



Product Code	Voltage	Airflow	Speed / Rpm	Power	Box	Pack
BY60-100	220-240V / 50-60Hz	100 m3/h	2450 rpm	12W	1	20
BY60-101	220-240V / 50-60Hz	120 m3/h	1900 rpm	15W	1	20



Led Light Bulb

Product Code	Description	Power	Light Color	Lumen	Pack
BY70-102	9W Led Light Bulb Daylight	9W	3000K	800 lm	50
BY70-103	9W Led Light Bulb White	9W	6400K	800 lm	50
BY70-104	36W Fan Led Light Bulb (Propeller)	36W	6500K	3200 lm	40
BY70-105	36W Flower Led Light Bulb	24W	6500K	1900 lm	80





*Designing
Producing
Testing
Deliver to you*



byes

Member of **bemis group**

Address:

Çalı Mh. 6. (410) Sk.
No. 9 16275
Nilüfer/Bursa/TURKIYE

Phone:

+90 224 363 30 65

Mail:

info@byes.com.tr
satis@byes.com.tr
export@byes.com.tr

Web:

www.byes.com.tr